

SCRATCHING RESOURCES

The best method to advance feline welfare is through education. Many cat caregivers are unaware that scratching is a natural behavior for cats. The AAFP has created the educational resources below to assist your team in educating cat caregivers about why cats need to scratch, ideal scratching surfaces, troubleshooting inappropriate scratching, training cats to scratch appropriately in the home, and alternatives to declawing.

Veterinary Professionals

Claw Counseling: Helping Clients Live Alongside Cats with Claws (In-depth Article)

This comprehensive article provides more detailed information to help you counsel clients on why and how to live with a clawed cat. It provides information about why clients declaw, short and long-term complications, what causes cats to scratch excessively and on unfavorable locations, and how to work through inappropriate scratching situations.

CLAW COUNSELING: Helping clients live alongside cats with claws



Submitted by Kelly A. St. Denis, MSc, DVM, DABVP (feline practice)

Onychectomy has always been a controversial topic, but over the last decade, a large push to end this practice has been brought forward by many groups, including major veterinary organizations, such as the American Association of Feline Practitioners. As veterinary professionals, we may be asked about declawing, nail care, and normal scratching behavior in cats. Whether you are in a practice that still offers onychectomy or in a practice that does not, owners should be made aware that declawing is surgical amputation of the last toe bone, and that there are both short and long term side effects from this procedure, including acute and chronic pain, as well as behavior problems.¹ The most effective way to help clients is to comprehend normal scratching behavior in cats and to become well versed in normal scratching preferences.

Pulling this knowledge together, veterinary team members have the capacity to develop "Claw Counseling" programs for their clinic that promote living in harmony with clawed cats. More than just understanding why declaw is not an acceptable procedure, "Claw Counseling" is about moving forward in positive action by teaching clients that they can live in harmony with their clawed cat. Declawing is banned in dozens of countries world wide, and the majority of veterinarians in the US and Canada rarely declaw cats^{2,3} so we know this is possible. How do we re-set thinking, and reduce the desire for and pursuit of onychectomy by cat owners? The best way is to provide support. This includes a comprehensive approach to nail care, meeting each cat's essential environmental needs and managing their resources. More information can be found in the AAFP/ISFM Feline Environmental Needs Guidelines and the associated brochure provided for clients:

- www.catvets.com/environmental-guidelines
- www.catvets.com/environmental-brochure

A brief word of advice: If you practice in a clinic that still

offers onychectomy, open dialogue about this is strongly encouraged. Team members should be mindful that these discussions should be approached with care and respect, for themselves and their employer. It is also extremely important to include front office staff in these discussions, as they may receive direct questions by phone.

Why do cats scratch?

The cat claw is unique anatomically, in that the claws of the forelimb are retractable, allowing the cat to expose or retract their claws as needed. A cat exposes its claws for several reasons. When hunting, the cat will use the claws to grasp prey. During times of conflict with other cats or other animals, the cat may use its claws to defend itself. Lastly, the claws will need to be exposed for the purpose of scratching inanimate objects for scent and visual marking. Outdoors this may include trees, fences and other solid surfaces. Indoors, it includes scratching posts (Figure 1) and other suitable scratching surfaces. However, if posts are not desirable to the cat, or if the cat is anxious or distressed, it may scratch furniture, doorframes, walls, or carpet. Scratching inanimate objects serves three main purposes. The first is to sharpen the claw by dislodging the old nail. The second purpose is for marking. In this latter case, the claws do not always need to be exposed. The cat is using the paw pads to mark surfaces with pheromones, in order to communicate its presence and



Figure 1 Indecisive cats may scratch furniture, doorframes, walls, carpet and hopefully, their scratch post.

See next 7 pages for full size print version.

CLAW COUNSELING:

Helping clients live alongside cats with claws

Submitted by Kelly A. St. Denis, MSc, DVM, DABVP (feline practice)

Onychectomy has always been a controversial topic, but over the last decade, a large push to end this practice has been brought forward by many groups, including major veterinary organizations, such as the American Association of Feline Practitioners. As veterinary professionals, we may be asked about declawing, nail care, and normal scratching behavior in cats. Whether you are in a practice that still offers onychectomy or in a practice that does not, owners should be made aware that declawing is surgical amputation of the last toe bone, and that there are both short and long term side effects from this procedure, including acute and chronic pain, as well as behavior problems.¹ The most effective way to help clients is to comprehend normal scratching behavior in cats and to become well versed in normal scratching preferences.

Pulling this knowledge together, veterinary team members have the capacity to develop 'Claw Counseling' programs for their clinic that promote living in harmony with clawed cats. More than just understanding why declaw is not an acceptable procedure, 'Claw Counseling' is about moving forward in positive action by teaching clients that they can live in harmony with their clawed cat. Declawing is banned in dozens of countries world wide, and the majority of veterinarians in the US and Canada rarely declaw cats^{2,3} so we know this is possible. How do we re-set thinking, and reduce the desire for and pursuit of onychectomy by cat owners? The best way is to provide support. This includes a comprehensive approach to nail care, meeting each cat's essential environmental needs and managing their resources. More information can be found in the AAFP/ISFM Feline Environmental Needs Guidelines and the associated brochure provided for clients:

- www.catvets.com/environmental-guidelines
- www.catvets.com/environmental-brochure

A brief word of advice: If you practice in a clinic that still

offers onychectomy, open dialogue about this is strongly encouraged. Team members should be mindful that these discussions should be approached with care and respect, for themselves and their employer. It is also extremely important to include front office staff in these discussions, as they may receive direct questions by phone.

Why do cats scratch?

The cat claw is unique anatomically, in that the claws of the forelimb are retractable, allowing the cat to expose or retract their claws as needed. A cat exposes its claws for several reasons. When hunting, the cat will use the claws to grasp prey. During times of conflict with other cats or other animals, the cat may use its claws to defend itself. Lastly, the claws will need to be exposed for the purpose of scratching

inanimate objects for scent and visual marking. Outdoors this may include trees, fences and other solid surfaces. Indoors, it includes scratching posts (Figure 1) and other suitable scratching surfaces. However, if posts are not desirable to the cat, or if the cat is anxious or distressed, it may scratch furniture, doorframes, walls, or carpet. Scratching inanimate objects serves

three main purposes. The first is to sharpen the claw by dislodging the old nail. The second purpose is for marking. In this latter case, the claws do not always need to be exposed. The cat is using the paw pads to mark surfaces with pheromones, in order to communicate its presence and



Figure 1 Indoors, cats may scratch furniture, doorframes, walls, carpet and hopefully, their scratch post.

ownership of territory to other cats. Scratch marks also communicate visual markers of territory. Cats also scratch after waking from sleep as a means of stretching out the limbs. It is important to understand these behaviors, as they are natural and necessary to the cat. As a territorial behavior, increased scratching and marking may occur in times of anxiety and stress, including inter-cat conflict or when environmental resources are threatened or restricted.⁴ Identification of the cause of the anxiety or stress is likely to offer solutions that will lead to a reduction in the unwanted marking behavior.

Why do clients declaw?

While some cat owners are opposed to declawing, others are not educated about the procedure and the alternatives. The primary reason that cat owners decide to declaw is to protect furniture and belongings from the damage caused by scratching (Figure 2). Parents of young children may feel that they need to declaw their cat in order to protect their families from cat scratches.⁵ Clients may also be trying to protect sick and/or elderly family members.⁴ Clients may cite the transmission of disease through cat scratches as a reason for declawing. There may be cats in the house that were previously declawed and the client may feel that it is not 'fair' to the declawed cats to have to live with a clawed cat. So what are the realities when it comes to cats and scratching? How real are any of the above arguments?

If properly trained, cats can learn not to scratch items such as furniture, door jams, doors and walls. With the provision of ample environmental resources, including scratching surfaces, this is less likely to be an issue. Adjustment of environments to address inter-cat competition for resources and inter-cat aggression will also reduce this favorably. Protecting children and family members from cat scratches is accomplished through proper handling of the cat, avoiding rough play and trimming the nails regularly. Children should be taught to treat their cat with respect and to play with the cat with an interactive toy. Hands, fingers, toes, and feet should never be used as "toys," as this may give a signal to the cat that it is "OK" to scratch and/or bite human flesh. Young children should have adult supervision when interacting with an animal.



Figure 2 The primary reason that cat owners decide to declaw is to protect furniture and belongings from the damage caused by scratching. Photo courtesy of Dr. Karol Matthews.

Diseases that can be transmitted via scratches include cat-scratch fever (*Bartonella henselae*). This bacteria is carried by fleas and transmitted via blood. In infected or carrier cats, the bacteria can be found on the claws, posing a risk of infecting humans. Declaw is not an acceptable method of preventing transmission of Cat Scratch Fever, nor does the Centers for Disease Control (CDC) recommend it to prevent the transmission of Cat Scratch Fever. The CDC does not recommend declawing to protect immune compromised people. Instead, the CDC and veterinarians recommend regular nail trims, regular flea prevention, and avoiding rough play with cats. Owners should be educated to use an interactive toy and never to play with their hands, or by wiggling hands or feet.

Lastly, existing declawed cats are not at a major disadvantage in the presence of clawed cats. Attention to resource management and addressing any inter-cat issues as they arise is the best means to maintaining harmony. Fights between cats should always be of concern, regardless of whether cats are declawed. It is easy to see that the many arguments presented as reasoning for pursuing declaw are

unfounded. Discussing these and informing clients of appropriate recommendations is key. For many clients, once the realities of the surgery are explained, and once they understand there are ways to live in harmony with clawed cats, their desire to pursue declaw diminishes greatly.

What is a declaw surgery?

It is important for the veterinary team to recognize that many clients do not understand the surgical procedure of onychectomy. Frequently the procedure is not explained in detail, and many clients have a notion of 'magical' removal of the nail only. Clients need to understand that the surgery involves removal of the third phalanx of each digit, and that surgically this is classified as an amputation. They need to be aware that during the procedure a piece of each digit is surgically removed. They need to understand that skin, nerves, tendons and other soft tissues are cut during the surgery. Clients that do not understand the surgical procedure may be very upset after the fact, when they discover what they have agreed to do to their cat. In the author's experience, many clients with declawed cats have indicated that had they understood what was involved, they would not have proceeded. This is particularly upsetting for them when their cats are experiencing short and/or long term complications from the declawing surgery. As veterinary professionals, we all need to be forthcoming about what is actually being done to a cat during a surgical procedure, the level of acute pain associated with surgery, as well as the potential for chronic pain. Declawing causes more acute pain than most other surgical procedures because it involves surgical manipulation of bone. Have an open dialogue with your entire veterinary team so that your procedures are clearly laid out for all, including who will explain what declaw entails, alternatives to declawing, and normal scratching behaviors to clients.

What are the short and long-term complications?

Although all surgical procedures deliver some level of pain, onychectomy is a highly painful surgical procedure. Until relatively recently, there was a lack of awareness of the high level of acute pain and the potential for chronic pain with

onychectomy, despite the use of perceived adequate analgesia. During the amputation, soft tissue is cut, including skin, nerves, blood vessels, tendons and joint capsules. In some cases paw pads and bone tissue may be erroneously cut. Some patients have had the distal ends of P2 incised by accident, and rare patients may have damage to both P2 and P1. Veterinarians may leave fragments of P3 in situ and some



Have an open dialogue with your entire veterinary team so that your procedures are clearly laid out for all, including who will explain what declaw entails, alternatives to declawing, and normal scratching behaviors to clients.

veterinarians leave these fragments, not recognizing the pain risks, potential for abnormal growth of the nail or the potential for infection. Hemorrhage is a risk with most surgical methods. Although laser decreases the risk of hemorrhage, tissue burns may occur. It is important to note that while laser declaw may slightly reduce short term post-operative discomfort, studies have shown that after 3-5 days, there is no difference in the level of pain between cats declawed by laser or by other methods.^{6,7} Post-operative bandaging compromises blood flow and could lead to permanent damage of the blood-deprived limb. Suture materials and tissue adhesives may act as foreign body irritants. Postoperatively, declawed cats are at risk for hemorrhage, infection, wound dehiscence, reaction to closure material (suture or tissue adhesives), neurological pain, pain from P3 fragments and generalized post-operative pain. Any of these short-term issues may predispose to long-term chronic debilitation and pain.

Long-term issues include arthritis and osteomyelitis of the remaining digit, P3 remnant pain, P3 remnant regrowth and/or tendon contracture.^{8,9,10} As amputees, it is almost certain that some portion of these cats experience phantom amputee pain at some point in their lives post onychectomy. Phantom pain can occur as many as 10 years after amputation in humans, so it is realistic to expect that cats may develop this type of pain in the years following surgery.¹¹ In relation to some of these long-term problems, it is hypothesized that some cats may experience discomfort digging in cat litter, and therefore may house soil; others may become aggressive due to pain related to ambulation and/or handling.³

What causes cats to scratch excessively and/or inappropriately?

First and foremost, cats scratch to mark territory. Anything that is occurring in a cat's life that may pose a threat to their territory can be expected to result in an increase in territorial marking.⁴ Behavioral consultations for scratching that owners consider 'inappropriate' should include very thorough questioning about the environment. The presence of other pets in the home should lead to a complete evaluation of inter-cat and cat-dog issues. The client should be questioned about the presence of outdoor animals, particularly cats, as these may be a stressor for their cat. As such, the indoor cat will begin to mark their territory more often and potentially in an increased number of locations. Frequent comings and goings of adults and teenagers, as well as the presence of children, will disturb the cat's environment. New furniture, renovations and other dramatic changes will act as a disturbance to the cat. It is less than ideal if there are any changes in the cat's day-to-day schedule of feeding, sleeping, and play. Anxieties can arise from any of these disturbances. Cats that are not well stimulated mentally will also be more inclined to mark territory. Use of scheduled play-time, as well as feeding toys and other puzzles will be beneficial in keeping the mind stimulated and boredom minimized.¹² Behavioral consultations should work through all of these possibilities, in order to identify all possible problems.

Resource management in a multi-pet environment is critical to reducing territorial anxiety in cats. While litter box resources are often considered during house soiling consultations, these represent only one facet of household resources that are important to indoor cats:

- Litter boxes
- Sleeping and resting areas
- Food
- Water
- Appropriate toys and interactive play
- Perches
- Scratch posts
- Scratching surfaces
- Human attention if desired

Litter boxes should be provided at a ratio of ~1 litter box per cat plus one additional box. The boxes should not be located

in the same space, and not all on the same level of the house. Suitable box size unscented clumping sand litter substrate and uncovered boxes should be used. A minimum of once daily scooping of the boxes is necessary, with complete cleaning every 1-4 weeks.

Sleeping and resting locations should be ample to accommodate all cats in a variety of locations. Most cats do not wish to sleep close to other cats, which means that there should be sleeping and resting locations for each cat and these should be distributed widely throughout the household. When environments are stressful (multiple cat households where cats don't show social bonding – grooming and resting touching one another), places to hide are important. Good options are high sided or igloo cat beds or boxes with the opening placed on a side.

Some of the scratch posts and perches should be located near windows to allow the cat to visualize outdoor activities such as birds and squirrels. This is mentally stimulating for the cat. In cases where outdoor cats or animals are causing territorial anxiety, the yard view may need to be blocked temporarily. Other scratching surfaces should be located near sleeping spots, so that the cat that wishes to scratch and stretch after a nap has immediate access to an acceptable scratching surface. Placing scratching surfaces in both busy and quiet areas of the household, with multiple locations to scratch is helpful for cats that routinely enjoy the human family. For most cats, catnip and catnip spray should help to encourage use of these articles. It is important to note that most kittens under four months of age will not respond to catnip and some adult cats are actually non-responders.

Food can be a major source of anxiety in multi-cat households. Ideally, cats should be fed 3-4 meals a day, and within separate rooms. Cats fed within visual, olfactory and/or auditory distance of each other may actually experience anxiety as they eat. This may not be obvious to the client, as signs can be subtle. This can lead to increased food consumption as well as rapid food intake, neither of which are beneficial to the cat. The client should ensure that one cat is not bullying the other cat away from its food. Water bowls need to be distributed throughout the household as well. Toys should be ample in number, with types of toys being rotated every week if at all possible.



Figure 3 The client should provide a number of substrates including sisal rope, natural bark or wood, corrugated cardboard, and carpet.

What is the ideal scratching surface?

The answer to this question may be as individual as the cat. However, in a recent study, most cats 9 years of age and younger preferred sisal rope to other scratching substrates.⁴ There was a slight preference in cats 10 and older for carpet, then followed by sisal rope. Whereas some recommend offering a wide variety of options, others recommend starting with sisal rope and inexpensive cardboard scratchers. To provide multiple options, the client should provide substrates including sisal rope, natural bark or wood, corrugated cardboard and carpet/rough fabric (Figure 3). Scratching posts should be placed in a wide variety of locations, and include both vertical and horizontal options. Use of scratching posts and sisal rope as the preferred substrate increased with a higher number of posts within the home.⁴ Vertical options must be sturdy and extend above the cat's stretched out vertical height. An internet based-survey on feline scratching behaviors noted the ideal scratch post was found to be a simple upright structure with 2-3 levels, at least 3 feet tall.⁴ A list of recommended scratch substrates, surfaces and their locations should be provided and discussed with the client. Provision of additional surfaces and structures will need to be considered when insufficient options are available.

What are alternatives to declawing?

As we work with clients to teach them about the reasons for opposition to onychectomy, we also need to move forward with them in a positive manner, teaching them how to live in harmony with a clawed cat. Clinics may wish to provide regular nail trims at a discounted rate or for free. The client may wish to learn how to trim nails, and may need some assistance in this, as well as how often to do this and how to approach nail trims with their individual cat (Figure 4). Nail trimming should be conducted according to feline friendly handling techniques. Instruct clients to trim a few nails at a time as opposed to all nails at once to prevent struggling and other difficulties. Emphasize the need for practice and patience, as well as to start slow, offer breaks, and make it a familiar routine. Distract with and encourage the use of positive reinforcement with food rewards. Some clients are very adept at learning clicker training for their cats, which may be very helpful.



Figure 4 The client may wish to learn how to trim nails, and may need some assistance in this, as well as how often to do this and how to approach nail trims with their individual cat.

The application of temporary synthetic nail caps is an alternative that may appeal to some clients and works well for some cats (Figure 5). This is not for every patient, as some resent the application process, and some will remove all of the caps in a short amount of time. Clients may learn to apply caps on their own, or the clinic may offer this as a service to their clients.



Figure 5 The application of temporary synthetic nail caps is an alternative that may appeal to some clients and works well for some cats.

Surgical tenectomy has been performed as an alternative to declawing but is no longer recommended. The procedure prevents extraction of the claws by surgical resection of a fragment of the deep digital flexor tendon. As a result of not being able to extract their claws, cats are unable to scratch



Figure 6 Cats that have been subjected to tenectomy will be unable to extract their claws, resulting in an inability to scratch away the rough old claw surface. A thick, abnormal nail then develops.

away the rough old claw surface. A thick, abnormal nail then develops (Figure 6) which is painful to walk with and painful to trim. These cats still require nail trims, which become more challenging than normal nail trims because of the painful, thick claws.

Claw Counseling

We need to be available for our clients to provide

support as we advocate for the cat and its claws. Perhaps your client wants to prepare in advance of obtaining a cat, adding a cat to the household or wanting to train their cat or kitten. Perhaps your client is experiencing new challenges that were not previously present. A designated individual, or all team members, should become actively involved in 'Claw Counseling.' 'Claw Counseling' refers to a consultation whereby we address the situation, including sources of feline anxiety (recent and long-term), current resources (all resources, not just scratching posts), how to trim nails and/or apply temporary synthetic nail caps and how to train cats to scratch only surfaces clients consider undesirable.

Punishment in any form can increase the anxiety of the cat, potentially increasing scratching and other marking behaviors, and causing them to be fearful of people. We need to keep this in mind when discussing scratching of undesirable surfaces with our clients. Discussing where the cat is scratching furniture may help reveal what the threat is that is making the cat feel the need to reinforce territorial markings. Similarly, it may also indicate the optimal locations for cat scratching posts and other acceptable surfaces. The placement of two-sided sticky tape, tinfoil, plastic, or furniture covers may reduce scratching on surfaces owners want protected. Cats that like to chew plastic should not have access to that type of surface cover.

If the cat has selected several surfaces that the client does not wish to have scratched, an attempt can be made to make these surfaces less desirable. Any changes should not cause pain to or encompass punishment of the cat. There are

scratch surfaces available commercially that can be mounted on the arms of couches allowing cats to scratch these instead of the actual couch. Scratchers can also be placed in front of the object to redirect the scratching. Some changes may not be 'tasteful' to the client, but we need to help them to understand that the room must meet both theirs and their cat's needs.

Enticing the cat or kitten to scratching surfaces using food, treats, catnip, or play is always recommended (Figure 7). If the cat has always had a preference for a particular piece of furniture, and the client has allowed it, replacement with a new piece of furniture is not recommended, as it is likely that the cat will commence scratching the new piece of furniture.

Onychectomy has been listed as an medically unnecessary surgery.¹³ The procedure is fraught with short and long term post-operative consequences.

Suffering may go unnoticed, or subsequent pain related behaviors such as house soiling can lead to

relinquishment of the cat.^{5,8} There are a myriad of ways that we can support and encourage clients to live with clawed cats. As veterinary professionals we have the knowledge to discuss the impact of declawing, and positively support the client through the process of training their clawed cat. This support will help to build a long-term veterinary-client-patient relationship, which in turns supports better healthcare for the cat.



Figure 7 Rewards such as food, treats, catnip and/or play are recommended to encourage cats or kittens to utilize appropriate scratching surfaces.

Internet Resources

The Cat Community

<https://catfriendly.com/scratching>

Centre for Disease Control

<https://www.cdc.gov>

Environmental Enrichment

<https://indoorpet.osu.edu/cats>

Cat Healthy

<http://www.cathealthy.ca>

References

1. Martell-Moran NK, Solano M, Townsend HGG. Pain and adverse behavior in declawed cats. *J Fel Med Surg* 2017 May 1;1098612X17705044. doi: 10.1177/1098612X17705044. [Epub ahead of print] PMID:28534655.
2. Ruch-Gullie R, Hellyer PW, Schoenfeld-Tacher R, Kogan LR. Survey of practices and perception of feline onychectomy among private practitioners. *J Am Vet Med Assoc* 2016; 249: 291-298.
3. Kogan LR, Little SE, Hellyer PW, et al. Feline onychectomy: Current practices and perceptions of veterinarians in Ontario, Canada. *Can Vet J* 2016;57:969–975.
4. Wilson C, Bain M, DePorter T, et al. Owner observations regarding cat scratching behavior: an internet-based survey. *J Fel Med Surg* 2016, Vol. 18(10) 791–797.
5. Yeon SC, Flanders JA, Scarlett JM, et al. Attitudes of owners regarding tendonectomy and onychectomy in cats. *J Am Vet Med Assoc* 2001; 218:43–47.
6. Holmberg DL, Brisson BA. A prospective comparison of postoperative morbidity associated with the use of scalpel blades and lasers for onychectomy in cats. *Can Vet J* 2006;47:162–163.
7. Robinson DA, Romans CW, Gordon-Evans WJ, et al. Evaluation of short-term limb function following unilateral carbon dioxide laser or scalpel onychectomy in cats. *J Am Vet Med Assoc* 2007;230:353–358.
8. Patronek GJ. Assessment of claims of short- and long-term complications associated with onychectomy in cats. *J Am Vet Med Assoc* 2001;219:932–937.
9. Cooper MA, Laverty PH, Soiderer EE. Bilateral flexor tendon contracture following onychectomy in 2 cats. *Can Vet J* 2005;46:244–246.
10. Cabon Q, Plante J, Gatineau M. Digital flexor tendon contracture treated by tenectomy: different clinical presentations in three cats. *Journal of Feline Medicine and Surgery Open Reports* 2015;1:2055116915597237.
11. Subedi B, Grossberg GT. Phantom limb pain: mechanisms and treatment approaches. *Pain Res Treat* 2011;2011:864605.
12. Ellis SLH, Rodan I, Carney HC, et al. AAFP and ISFM feline environmental needs guidelines. *J Feline Med Surg* 2013;15:219–230.
13. Mills KE, Keyserlingk von MAG, Niel L. A review of medically unnecessary surgeries in dogs and cats. *J Am Vet Med Assoc* 2016;248:162–171.

SCRATCHING RESOURCES

Veterinary Professionals

Guiding Clients on Living with a Clawed Cat (Summary Flyer)

Train your veterinary team how to appropriately counsel and assist your clients to live in harmony with a clawed cat. Topics include why cats scratch inanimate objects, ideal scratching surfaces, troubleshooting inappropriate scratching, and training cats to scratch appropriately in the home.

GUIDING CLIENTS ON
Living with a Clawed Cat

Most clients are not aware that declawing (onychectomy) is a surgical amputation and that scratching is a normal feline behavior. Veterinary practices have a responsibility to counsel their clients, emphasizing the alternatives to declawing and teaching them how to live in harmony with their clawed cat.

Why Do Cats Have Claws?
Share with your clients that cats' claws are anatomically unique and serve several functions. The forelimb claws of the cat are uniquely retractable and allow them to expose or retract their nails as needed.

Main uses for cats' claws:

- A cat may expose their claws to hunt and use them to grasp and capture their prey.
- During times of conflict with other cats or other animals, the cat may need to use its claws to defend itself.
- Mark territory both visually (scratching inanimate objects) and chemically (via pheromones).

Why Do Cats Scratch Inanimate Objects?
Emphasize that scratching is a natural, normal, and necessary behavior for cats. They do not scratch with the intention of upsetting their caregiver or damaging furniture. It is a form of communication and often occurs during times of stress and anxiety.

Cats scratch for three main reasons:

- To renew the nail by dislodging the old nail growth and exposing a new, sharper nail underneath.
- To mark their territory visually and with scent (pheromones) to other cats and animals.
- To stretch out their limbs.

Increased scratching and marking may occur in times of stress and anxiety, including when environmental resources are threatened or restricted. It is critical to identify the cause of the stress or anxiety so you can address the issue and reduce the unwanted scratching behavior. A veterinary behaviorist may be needed to help resolve the problem.

Best Practices for Living with a Clawed Cat
Share these preventive strategies with your clients.

Tips for living with a cat with nails:

- Trim cat's nails regularly (provide a demonstration for clients). Temporary synthetic nail caps may be an option for some cats.
- Provide appropriate resources for each cat:
 - Litter boxes
 - Sleeping and resting areas
 - Food bowls
 - Water bowls
 - Scratching surfaces
 - Toys for play
- Provide appropriate environmental enrichment in the home to include interactive play, perches and scratch posts that allow vertical accessibility, and human attention if desired.
- Address any inter-cat related issues that may be causing fear or anxiety. Inter-cat conflict is common and a cause of undesirable scratching. However, as signs are subtle, owners may not recognize the conflict until behavior problems occur. To aid in conflict prevention, ensure all resources are ample and located in multiple locations throughout the house to prevent competition for these resources in multiple cat households.
- Teach everyone in the household that cats should be treated with respect. No one should be allowed to play rough with a cat or handle them in a manner that causes fear, stress, or pain.
- Do not use your fingers or toes, or the wiggling of hands or feet as a toy for play. This form of play can lead to biting or scratching. Instead, play can be stimulated with the use of interactive toys that mimic prey, such as a toy mouse that is pulled across a floor or leathers on a wand that is waved through the air.




(over)

See next 2 pages for full size print version.

GUIDING CLIENTS ON Living with a Clawed Cat



Most clients are not aware that declawing (onychectomy) is a surgical amputation and that scratching is a normal feline behavior. Veterinary practices have a responsibility to counsel their clients, emphasizing the alternatives to declawing and teaching them how to live in harmony with their clawed cat.

Why Do Cats Have Claws?

Share with your clients that cats' claws are anatomically unique and serve several functions. The forelimb claws of the cat are uniquely retractable and allow them to expose or retract their nails as needed.

Main uses for cats' claws:

- A cat may expose their claws to hunt and use them to grasp and capture their prey.
- During times of conflict with other cats or other animals, the cat may need to use its claws to defend itself.
- Mark territory both visually (scratching inanimate objects) and chemically (via pheromones).

Why Do Cats Scratch Inanimate Objects?

Emphasize that scratching is a natural, normal, and necessary behavior for cats. They do not scratch with the intention of upsetting their caregiver or damaging furniture. It is a form of communication and often occurs during times of stress and anxiety.

Cats scratch for three main reasons:

- To renew the nail by dislodging the old nail growth and exposing a new, sharper nail underneath.
- To mark their territory visually and with scent (pheromones) to other cats and animals.
- To stretch out their limbs.


Increased scratching and marking may occur in times of stress and anxiety, including when environmental resources are threatened or restricted. It is critical to identify the cause of the stress or anxiety so you can address the issue and reduce the unwanted scratching behavior. A veterinary behaviorist may be needed to help resolve the problem.

Best Practices for Living with a Clawed Cat

Share these preventive strategies with your clients.

Tips for living with a cat with nails:

- Trim cat's nails regularly (provide a demonstration for clients). Temporary synthetic nail caps may be an option for some cats.
- Provide appropriate resources for each cat:
 - Litter boxes
 - Sleeping and resting areas
 - Food bowls
 - Water bowls
 - Scratching surfaces
 - Toys for play
- Provide appropriate environmental enrichment in the home to include interactive play, perches and scratch posts that allow vertical accessibility, and human attention if desired.
- Address any inter-cat related issues that may be causing fear or anxiety. Inter-cat conflict is common and a cause of undesirable scratching. However, as signs are subtle, owners may not recognize the conflict until behavior problems occur. To aid in conflict prevention, ensure all resources are ample and located in multiple locations throughout the house to prevent competition for these resources in multiple cat households.
- Teach everyone in the household that cats should be treated with respect. No one should be allowed to play rough with a cat or handle them in a manner that causes fear, stress, or pain.
- Do not use your fingers or toes, or the wiggling of hands or feet as a toy for play. This form of play can lead to biting or scratching. Instead, play can be stimulated with the use of interactive toys that mimic prey, such as a toy mouse that is pulled across a floor or feathers on a wand that is waved through the air.



GUIDING CLIENTS ON Living with a Clawed Cat continued

What Makes an Ideal Scratching Surface?



It is best to advise your clients to offer their cat an assortment of options, in a wide variety of locations because the ideal scratching surface is different for each cat.

Here are some important features you should counsel your clients to keep in mind:

- **Size and Shape** - Most cats like to scratch vertically. They will need a sturdy post that is taller than their body length to fully stretch and give a good scratch.

If the cat is scratching carpet, recommend a horizontal scratcher.

- **Texture** - The texture of the scratching post is also important. Many cats prefer sisal rope; others prefer corrugated cardboard, carpet, or wood on the scratching surface.
- It is important to experiment with a variety of textures and types of scratchers to determine which is preferred by each cat.

Train Cats to Scratch Appropriately

Share these important tips with your clients:

- **Location is critical.**
 - Cats often stretch or scratch when they wake up, so recommend placing a scratcher near the cat's sleeping area.
 - Place a scratching post or pad near where the cat is currently scratching that is undesirable (e.g. in front of a couch leg, or door to the outside) as the changes in scent profile can result in cats re-marking that area.
 - If the cat scratches somewhere other than the scratching post or pad, provide instructions to pick them up, take them to the scratcher, and then provide a reward.
- **Provide rewards and positive reinforcement.**
 - Remind your clients that cats learn best through positive reinforcement.



- As they are redirecting their cat to use the new scratching post or pad, emphasize giving the reward immediately (within 3 seconds) to reinforce the positive behavior.
- It is important to remember they will need to find a reward their cat likes (i.e. treats, catnip, interactive play, and petting, or grooming).

Troubleshooting Inappropriate Scratching

Here are some common issues that clients may experience and advice you can share:

- **Cat is scratching an undesirable surface.**
 - If the surface is near a window or door where the cat can see and/or smell another cat (or other smells), discourage or remove the unwanted cats from the yard, block window views, and use feline facial pheromones.
- **Frequency of scratching is increasing.**
 - Try to identify and address what may be causing the cat stress, anxiety, or frustration.
 - If the cat is stressed or anxious due to changes in the household (people, furniture, smells, etc.), and other options have not helped, discuss appropriate treatment to resolve distress or anxiety.
 - Conduct a physical examination to identify pain, and treat if appropriate.
 - Discuss and resolve inter-cat issues immediately. Ensure that each cat has access to a complete set of resources, which are separated so that cats have free access without being challenged or blocked by other cats or perceived threats.
 - Review their schedules and recommend consistent timing for feeding, care, petting (if favorable to the cat), and play.
 - Explain the importance of cleaning the litter boxes regularly and ensure they are placed in multiple locations where one cat cannot block the path of the other (e.g. not in a hallway or near steps).

For more detailed information, access these resources:

Catfriendly.com/scratching (Client Resource)

Catvets.com/brochures (Download Alternatives to Declawing Brochure)

Catvets.com/scratching (Scratching Education)




SCRATCHING RESOURCES

Veterinary Professionals**Claw Counseling: Living in Harmony with Clawed Cats (Webinar)**

This webinar will help you learn how to counsel your clients so they can live in harmony with their clawed cat. This presentation reviews the natural scratching behavior of domestic cats with guidance on how to target this behavior to desirable surfaces. It will describe the goals behind Claw Counseling, providing the necessary information for veterinary practices to implement this program immediately.

VIEW WEBINAR - <https://catvets.com/clawcounseling>




SCRATCHING RESOURCES

Client Education

It's Natural for Cats to Scratch (Flyer)

This is a flyer you can print or hang in your clinic to educate clients about how scratching is a natural behavior for cats. This resource also provides some tips on best practices for their home.



See next page for full size print version.

It's NATURAL for Cats to Scratch!

Cats need to scratch and mark with their claws to:

- Stretch their body.
- Remove the worn layer of their nail.
- Maintain necessary claw motion used in hunting and climbing.
- Leave visible markers to establish their territory, especially if there is concern with other cats in the household or outdoors.

Best practices:


- Trim your cat's nails regularly.
- Provide a variety of scratchers (i.e. tall, horizontal, or angled; sisal rope, carpet, cardboard, or wood).
- Place scratchers near your cat's sleeping area; in front of their preferred, yet undesirable, scratching object (e.g. corner of couch).
- Ensure ample cat environmental enrichment and resources (i.e. litter boxes, sleeping areas, food & water bowls, and perches all in multiple locations).
- Do not use your fingers or toes, or the wiggling of hands or feet as a toy for play. This form of play can lead to biting or scratching, and as a cat grows they will accept it as an appropriate form of play. Instead, play can be stimulated with the use of interactive toys that mimic prey, such as a toy mouse that is pulled across a floor or feathers on a wand that is waved through the air.

Important to keep in mind:

- If your cat continues to scratch undesired objects, it may be due to stress, anxiety, attention seeking, or feeling unsafe in their environment.
- Look for any problems between other cats or household members, which might make your cat feel anxious, threatened, or territorial. Signs of conflict are subtle. If your cats never groom one another, sleep or play together, intercat conflict is likely.
- Reward your cat's positive scratching immediately.
- Please speak with a veterinarian or behaviorist for individualized advice.

For more detailed information, visit catfriendly.com/scratching

The American Association of Feline Practitioners (AAFP) opposes elective declawing (onychectomy) of cats. Declawing entails the amputation of a cat's third phalanx (P3), or third 'toe bone.'



SCRATCHING RESOURCES

Client Education

Living with a Clawed Cat - Information for Cat Caregivers (Flyer)

Supply this flyer to appropriately counsel and assist your clients to live in harmony with a clawed cat. Topics include why cats scratch inanimate objects, ideal scratching surfaces, troubleshooting inappropriate scratching, and training cats to scratch appropriately in the home.

LIVING WITH A CLAWED CAT
Information for Cat Caregivers

Scratching is a natural behavior for cats. There are ways you can live alongside your cat in harmony by understanding these natural behaviors and practice good techniques that will enrich your home. Let's learn more about.

Why Do Cats Have Claws?
Your cats' claws are unique and serve several functions.

Main uses for cats' claws:

- A cat may expose their claws to hunt and use them to grasp and capture their prey.
- Mark territory both visually (scratching inanimate objects) and chemically (via pheromones).
- To defend itself during conflict with other cats or animals.

Why Do Cats Scratch Inanimate Objects?
Scratching is a natural, normal, and necessary behavior for your cat. Your cat does not scratch to upset you or intentionally damage your furniture. Scratching is a form of communication that your cat expresses during times of stress and anxiety.

Cats scratch for three main reasons:

- To renew the nail by dislodging the old nail growth and exposing a new, sharper nail underneath.
- To mark their territory visually and with scent (pheromones) to other cats and animals.
- To stretch out their limbs.

Your cat may experience increased scratching and marking in times of stress and anxiety, including when environmental resources are threatened or restricted. Discuss your cat's daily routine with your veterinarian so they can address the issue and offer advice to resolve the problem.



Best Practices for Living with a Clawed Cat
Here are some preventative strategies for living with your clawed cat.

Tips for living with a cat with nails:

- Trim cat's nails regularly (request training from your veterinarian).
- Provide appropriate resources for your cat:
 - Litter boxes
 - Sleeping and resting areas
 - Food bowls
 - Water bowls
 - Scratching surfaces
 - Toys for play
- Provide appropriate environmental enrichment in your home to include interactive play, perches and scratch posts, and human attention if desired.
- Address any inter-cat related issues that may be causing fear or anxiety. Inter-cat conflict is common and a cause of undesirable scratching. The signs are subtle so consult with your veterinarian to help recognize these behavioral problems. Ensure all resources are ample and located in multiple locations throughout your house to prevent competition for these resources if there are multiple cats at home.
- Teach everyone your household that cats should be treated with respect. No one should be allowed to play rough with a cat or handle them in a manner that causes fear, stress, or pain.
- Do not use your fingers or toes, or the wiggling of hands or feet as a toy for play. This form of play can lead to biting or scratching. Instead, play can be stimulated with the use of interactive toys that mimic prey, such as a toy mouse that is pulled across a floor or leathers on a wand that is waved through the air.



See next 2 pages for full size print version.

LIVING WITH A CLAWED CAT

Information for Cat Caregivers



Scratching is a natural behavior for cats. There are ways you can live alongside your cat in harmony by understanding these natural behaviors and practice good techniques that will enrich your home.

Why Do Cats Have Claws?

Your cats' claws are unique and serve several functions. The forelimb claws of cats are uniquely retractable and allow them to expose or retract their nails as needed.

Main uses for cats' claws:

- A cat may expose their claws to hunt and use them to grasp and capture their prey.
- Mark territory both visually (scratching inanimate objects) and chemically (via pheromones).
- To defend itself during conflict with other cats or animals.

Why Do Cats Scratch Inanimate Objects?

Scratching is a natural, normal, and necessary behavior for your cat. Your cat does not scratch to upset you or intentionally damage your furniture. Scratching is a form of communication that your cat expresses during times of stress and anxiety.

Cats scratch for three main reasons:

- To renew the nail by dislodging the old nail growth and exposing a new, sharper nail underneath.
- To mark their territory visually and with scent (pheromones) to other cats and animals.
- To stretch out their limbs.

Your cat may experience increased scratching and marking in times of stress and anxiety, including when environmental resources are threatened or restricted. Discuss your cat's daily routine with your veterinarian so they can address the issue and offer advice to resolve the problem.



Best Practices for Living with a Clawed Cat

Here are some preventive strategies for living with your clawed cat.

Tips for living with a cat with nails:

- Trim cat's nails regularly (Request training from your veterinarian).
- Provide appropriate resources for your cat:
 - Litter boxes
 - Sleeping and resting areas
 - Food bowls
 - Water bowls
 - Scratching surfaces
 - Toys for play
- Provide appropriate environmental enrichment in your home to include interactive play, perches and scratch posts, and human attention if desired.
- Address any inter-cat related issues that may be causing fear or anxiety. Inter-cat conflict is common and a cause of undesirable scratching. The signs are subtle so consult with your veterinarian to help recognize these behavioral problems. Ensure all resources are ample and located in multiple locations throughout your house to prevent competition for these resources if there are multiple cats at home.
- Teach everyone your household that cats should be treated with respect. No one should be allowed to play rough with a cat or handle them in a manner that causes fear, stress, or pain.
- Do not use your fingers or toes, or the wiggling of hands or feet as a toy for play. This form of play can lead to biting or scratching. Instead, play can be stimulated with the use of interactive toys that mimic prey, such as a toy mouse that is pulled across a floor or feathers on a wand that is waved through the air.



Living with a Clawed Cat continued

What Makes an Ideal Scratching Surface?



Each cat prefers different scratching surfaces. To determine which your cat prefers, offer an assortment of scratching options, in a wide variety of locations around your home.

Here are some important scratching post features to keep in mind:

- Size and Shape - Most cats like to scratch vertically. They will need a sturdy post that is taller than their body length to fully

stretch and give a good scratch.

If the cat is scratching carpet, a horizontal scratcher may be a good alternative.

- Texture - The texture of the scratching post is also important. Many cats prefer sisal rope; others prefer corrugated cardboard, carpet, or wood on the scratching surface.
- It is important to experiment with a variety of textures and types of scratchers to determine which is preferred by each cat.

Train Cats to Scratch Appropriately

- Yes, you can train your cat to scratch certain, approved items and train them not to scratch others.
 - Cats often stretch or scratch when they wake up, so place a scratcher near the cat's sleeping area.
 - Place a scratching post or pad near where the cat is currently scratching that is undesirable (e.g. in front of a couch leg, or door to the outside) as the changes in scent profile can result in cats re-marking that area.
 - If the cat scratches somewhere other than the scratching post or pad, pick them up, take them to the scratcher, and then provide a reward.
- Provide rewards and positive reinforcement.
 - Cats learn best through positive reinforcement.



- Immediately after you redirect your cat to use the new scratching post or pad (within 3 seconds), reward them to reinforce positive behavior.
- Try rewarding your cat with items they already like (i.e. treats, catnip, interactive play, and petting or grooming).

Troubleshooting Inappropriate Scratching

Here is some general advice for common issues you may be experiencing with your cat:

- My cat is scratching an undesirable surface.
 - If the surface is near a window or door where your cat can see and/or smell another cat (or other smells), discourage or remove the unwanted cats from the yard, block window views, and use feline facial pheromones.
- My cat is scratching more.
 - Try to identify and address what may be causing your cat stress, anxiety, or frustration.
 - If your cat is stressed or anxious due to changes in the household (people, furniture, smells, etc.), and other options have not helped, discuss appropriate treatment to resolve distress or anxiety with your veterinarian.
 - Discuss any inter-cat issues immediately with your veterinarian.
 - Ensure that your cat has access to a complete set of resources, without being hidden or blocked from use.
 - Take note of your cats' daily routine and review it with your veterinarian.
 - Clean litter boxes regularly and ensure they are placed in multiple locations where one cat cannot block the path of the other (e.g. not in a hallway or near steps).

For more detailed information, access these resources:
[Catfriendly.com/scratching](https://catfriendly.com/scratching)



SCRATCHING RESOURCES

Client Education

It's Natural for Cats to Scratch (Social Media Image)

Use this image and text on your veterinary practice's social media pages to provide education on why cats need to scratch.



**It's NATURAL for
Cats to Scratch!**

*Cats need to scratch and mark
with their claws to:*

- Stretch their body
- Remove the worn layer of their nail
- Maintain necessary claw motion used in hunting and climbing
- Leave visible markers to establish their territory, especially if there is concern with other cats in the household or outdoors


Learn more: www.catfriendly.com/scratching

SCRATCHING RESOURCES

Client Education

Links to AAFP's Client Website - Catfriendly.com


- Living with a Clawed Cat - www.catfriendly.com/scratching



This page covers:

- Why do cats have claws?
- Why do cats scratch inanimate objects?
- Best practices for living with a clawed cat
- What makes an ideal scratching surface?
- Inappropriate scratching tips
- Training your cat to scratch on approved items

- What is Declawing? - www.catfriendly.com/declawing



This page also contains links to information about:

- Scratching Posts/Pads
- Regular Claw Trimming
- Appropriate Environmental Enrichment


You can share links to these educational pages with your clients via your social media channels, website, and newsletter.



SCRATCHING RESOURCES

Client Education**Alternatives to Declawing Client Brochure**

Share this brochure with your clients to educate them on scratching resources and nail care as appropriate alternatives. You can access an electronic and print ready version of this brochure in the online Toolkit at www.catvets.com/claw-friendly-toolkit (on the Scratching Resources or Client Resources tabs). Additionally, this brochure is available in Spanish and Portuguese online.



See next 2 pages for a condensed version.

Check out our additional client education resources!
<https://catvets.com/claw-friendly-toolkit/client-resources>

Alternatives to Declawing

Download in
easy-to-print
brochure formats at
[www.catvets.com/
guidelines/
client-brochures](http://www.catvets.com/guidelines/client-brochures).



You are an important member of your cat's healthcare team.
You are instrumental in helping with the success of
treatments and improved healthcare for your cat.

Sponsored by



Alternatives to Declawing

WHAT IS DECLAWING?

Feline declawing is an elective and ethically controversial procedure, which is NOT medically necessary for cats in most instances. Declawing entails the amputation of a cat's third phalanx [P3], or third 'toe bone.' Unlike human nails, cats' claws are attached to the last bone in their toes. A comparison in human terms would be cutting off a person's finger at the last joint of each finger.

It is important to understand that scratching is normal behavior for cats, which has an inherent function. The primary reason cats scratch is to maintain the necessary claw motion used in hunting and climbing, as well as a means to stretch their body. Scratching serves to groom the front claws and leave markers of the cat's presence. A cat's claws grow in layers and scratching removes the worn outer layer to expose the new growth inside. Cat owners must therefore provide alternatives for cats such as suitable scratchers.

ALTERNATIVES TO DECLAWING

Scratching posts/pads

Provide your cat with suitable 'scratchers' where they can exhibit normal scratching behavior. Scratchers come in multiple styles and textures. It is important to experiment with a variety of textures and types of scratchers to determine which your cat prefers. Some examples include scratching posts or pads with sisal rope or rough fabric, cardboard boxes, and lumber or logs. Scratchers can be vertical or horizontal and there are even varieties that blend into your home decor.



The placement of scratchers is very important. Cats often stretch or scratch when they wake up so consider placing one near where your cat sleeps. It may also be effective to place a scratcher near or in front of a cat's preferred, yet undesirable, scratching object (e.g. corner of the couch). Kittens and cats can be trained to use scratchers by rewarding use of the scratcher with the cat's favorite treat. If the cat scratches elsewhere, they should be gently picked up, taken to the scratcher, and then rewarded. Cats should always be positively reinforced and never punished.



Regular claw trimming

Regularly trimming your cat's claws can prevent injury and damage to household items. Proper feline nail trimmers should be used to prevent splintering of the claws. The frequency of claw trimming will depend on your cat's lifestyle. Indoor cats, kittens, and older cats will need more regular nail trims, whereas outdoor cats may naturally wear down their nails requiring less frequent trimming. If possible, start trimming as kittens so they become comfortable with the process early on. If your cat does not like claw trimmings start slow, offer breaks, and make it a familiar routine. Ask your veterinarian for advice or a demonstration on trimming your cat's claws. Always trim claws in a calm environment and provide positive reinforcement. Proper training to scratch on appropriate surfaces, combined with nail care, can prevent damage in the home.



Temporary synthetic nail caps

These caps are glued over your cat's nails to help prevent human injury and damage to household items. The nail caps usually need to be re-applied every 4-6 weeks; therefore they may be a less desirable alternative to regular nail trimming, suitable scratchers, and environmental enrichment.

Synthetic facial pheromone sprays/diffusers

Continued scratching by cats may be related to stress, anxiety, attention seeking, or a perceived lack of security in their environment. Anxiety can also be intensified by punishment, thus driving the cat to increase scratching behaviors in the same or other undesirable locations in the home. Consider using synthetic facial pheromone sprays and/or diffusers to help relieve anxiety or stress. Apply a synthetic pheromone spray such as Feliway® on the objects or areas in your home where your cat has exhibited undesired scratching. Do so after cleaning with soap and water to remove the communication marking scents left by your cat's paws. Applying daily comforting pheromones can prevent your cat's need to mark these areas again. Feliway® should not be sprayed on the desired scratcher. If undesirable scratching occurs in several rooms, indicating a more generalized anxiety or stress, it is recommended to also plug-in a synthetic pheromone diffuser such as Feliway® to comfort your cat in their home environment.

Appropriate environmental enrichment

Providing your cat with an environment that is enriching is vital to teaching your cat to scratch on appropriate objects. Destructive scratching can occur in cats because their needs have not been fully met. Cats need the proper resources to perform their natural behaviors and have control over their social interactions. You can enhance your cat's health and well-being by ensuring all their needs are met in the home. The AAFP has a wealth of information for cat owners on environmental enrichment. Visit: www.catvets.com/environmental-needs.

For more information on declawing, declawing alternatives, and claw trimming, visit:
www.catvets.com/declawalternatives